

Discover the video



 **TUBESCA-COMABI**



**MADE IN
FRANCE**

RESPONSIBLE GENERATION

Inspired by you, the range that steps up to any challenge!



SAFETY



COMFORT



ECO-DESIGN

COMPACT PRODUCTS

2 versions:



STRAPS guardrail
with wooden platform
1 tool holder



BRACES guardrail
with wooden platform
1 tool holder + 1 tool tray

Lightweight, perfectly sized products that limit the footprint and are easy to handle and store, while guaranteeing good working comfort and excellent safety conditions.

RAPTOR LIGHTWEIGHT

80 mm
anti-slip steps



Platform
50 x 40 cm

1 compartmentalised tool
holder with 2 bucket hooks



Quick-release
stabilisers



VELOCE MOBILITY



25 kg ultra
resistant **tool tray**

4 retractable castor wheels
for maximum mobility



RAPTORSCOPIC

FLEXIBILITY



Removable and interchangeable tool holder and tool tray



Smooth interchangeable height system

Telescopic sliding surfaces allowing for level offsetting. 3/4 or 5/7-step models.

SHERPASCOPIC

ALL TERRAINS



Toe-boards
100 mm high

Large working surface
60 x 40 cm

Telescopic sliding sections allowing for level offsetting
Height up to 8/11 steps

60 mm anti-slip steps

Ø 175 mm ribbed wheels



SHERPAMATIC

COMFORT



Lifting rings for transportation purpose



Compartmentalised, ultra-resistant (25 kg), interchangeable and removable tool holder with hooks and low tool tray

80 mm anti-slip steps

Anti-slip covering footpads

Ultra-resistant products to work in optimum comfort and safety and to adapt to the most exposed working environments (outdoor sites, structural work, electricity).

STURDY PRODUCTS

2 versions:



BRACES guardrail
with wooden platform
1 tool holder + 1 tool tray



SALOON guardrail
with aluminium platform
1 tool holder + 1 tool tray

INSULATING SHERPA

FIBREGLASS



360° rigid guardrail with insulated rilsan-coated protection



FIBREGLASS uprights, insulating material to work safely against low voltage currents up to 1,500 volts

Folding stabilisers with millimetric adjustment system



SAFETY

- ✓ Complies with **French standard PIR/PIRL⁽¹⁾** and European standard **EN 131-7⁽²⁾**



- ✓ **Max load: 150 kg**

- ✓ **3 guardrail versions**



straps



braces



saloon




COMFORT

- ✓ **Folding stabilisers** with millimetric adjustment system

- ✓ **Extra-wide access steps**

- ✓ **2 interchangeable tool trays**



ECO-DESIGN

- ✓ Products delivered **without excessive packaging**





- ✓ **Repairable products**
Spare parts quickly available and easy to install

- ✓ Aluminium products up to **90% recyclable**

⁽¹⁾ except Veloce 7 steps 02274117 / 02274167

⁽²⁾ except Raptor, Veloce and Raptorscopic with straps guardrails.

⁽³⁾ except Veloce 7 steps 02274117 / 02274167 and insulating Sherpa models 02272853 / 02272854 / 02272855





reference	gencod	number of steps	platform height	max working height	weight	straps guardrail	braces guardrail
-----------	--------	-----------------	-----------------	--------------------	--------	------------------	------------------

RAPTOR

02274102	3178740247713	2	0.48 m	2.48 m	13.4 kg	✓	
02274103	3178740247720	3	0.70 m	2.70 m	17.2 kg	✓	
02274104	3178740247737	4	0.94 m	2.94 m	18.5 kg	✓	
02274105	3178740247744	5	1.18 m	3.18 m	20.2 kg	✓	
02274106	3178740247751	6	1.40 m	3.40 m	21.5 kg	✓	
02274107	3178740247065	7	1.64 m	3.64 m	23.7 kg	✓	
02274152	3178740247836	2	0.48 m	2.48 m	14.6 kg		✓
02274153	3178740247843	3	0.70 m	2.70 m	18.5 kg		✓
02274154	3178740247850	4	0.94 m	2.94 m	19.8 kg		✓
02274155	3178740247867	5	1.18 m	3.18 m	21.5 kg		✓
02274156	3178740247874	6	1.40 m	3.40 m	22.7 kg		✓
02274157	3178740247072	7	1.64 m	3.64 m	25.0 kg		✓

RAPTORSCOPIC

02274200	3178740247942	3-4	0.72-0.95 m	2.72-2.95 m	21.9 kg	✓	
02274201	3178740247089	5-7	1.14-1.60 m	3.14-3.60 m	26.6 kg	✓	
02274210	3178740247966	3-4	0.72-0.95 m	2.72-2.95 m	23.2 kg		✓
02274211	3178740247096	5-7	1.14-1.60 m	3.14-3.60 m	28.0 kg		✓

VELOCE

02274112	3178740247775	2	0.48 m	2.48 m	16.2 kg	✓	
02274113	3178740247782	3	0.70 m	2.70 m	20.1 kg	✓	
02274114	3178740247799	4	0.94 m	2.94 m	21.4 kg	✓	
02274115	3178740247805	5	1.18 m	3.18 m	23.1 kg	✓	
02274116	3178740247812	6	1.40 m	3.40 m	24.4 kg	✓	
02274117	3178740247102	7	1.64 m	3.64 m	26.5 kg	✓	
02274162	3178740247881	2	0.48 m	2.48 m	17.5 kg		✓
02274163	3178740247898	3	0.70 m	2.70 m	21.4 kg		✓
02274164	3178740247904	4	0.94 m	2.94 m	22.7 kg		✓
02274165	3178740247911	5	1.18 m	3.18 m	24.3 kg		✓
02274166	3178740247928	6	1.40 m	3.40 m	25.6 kg		✓
02274167	3178740247119	7	1.64 m	3.64 m	27.8 kg		✓

reference	gencod	number of steps	platform height	max working height	weight	braces guardrail	saloon guardrail
-----------	--------	-----------------	-----------------	--------------------	--------	------------------	------------------

SHERPAMATIC

02272903	3178740247553	3	0.70 m	2.70 m	20.4 kg	✓	
02272904	3178740247560	4	0.94 m	2.94 m	21.6 kg	✓	
02272905	3178740247577	5	1.18 m	3.18 m	23.2 kg	✓	
02272906	3178740247584	6	1.42 m	3.42 m	24.5 kg	✓	
02272907	3178740247591	7	1.64 m	3.64 m	26.4 kg	✓	
02272908	3178740247126	8	1.88 m	3.88 m	27.6 kg	✓	
02272913	3178740247607	3	0.70 m	2.70 m	22.3 kg		✓
02272914	3178740247614	4	0.94 m	2.94 m	23.5 kg		✓
02272915	3178740247621	5	1.18 m	3.18 m	25.1 kg		✓
02272916	3178740247638	6	1.42 m	3.42 m	26.4 kg		✓
02272917	3178740247645	7	1.64 m	3.64 m	28.3 kg		✓
02272918	3178740247133	8	1.88 m	3.88 m	29.5 kg		✓

SHERPASCOPIC

02272950	3178740247652	3-4	0.72-0.95 m	2.72-2.95 m	24.9 kg	✓	
02272951	3178740247669	5-7	1.14-1.60 m	3.14-3.60 m	29.3 kg	✓	
02272952	3178740247676	8-10	1.84-2.30 m	3.84-4.30 m	34.9 kg	✓	
02272953	3178740247140	8-11	1.84-2.54 m	3.84-4.54 m	37.1 kg	✓	
02272960	3178740247683	3-4	0.72-0.95 m	2.72-2.95 m	26.8 kg		✓
02272961	3178740247690	5-7	1.14-1.60 m	3.14-3.60 m	31.2 kg		✓
02272962	3178740247706	8-10	1.80-2.30 m	3.80-4.30 m	36.9 kg		✓
02272963	3178740247157	8-11	1.80-2.50 m	3.80-4.50 m	39.1 kg		✓

FOLDING SHERPASCOPIC

02272920	3178740247164	5-7	1.14-1.60 m	3.14-3.60 m	29.7 kg	✓	
02272921	3178740247171	5-7	1.14-1.60 m	3.14-3.60 m	31.6 kg		✓

INSULATING SHERPA

02272853	3178740248833	3	0.70 m	2.70 m	20.3 kg	✓	
02272854	3178740248840	4	0.95 m	2.95 m	21.3 kg	✓	
02272855	3178740247188	5	1.18 m	3.18 m	22.8 kg	✓	